Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S61	20	weigh\$3 with (list or collection or set) near4 (extensible or extend\$4) with (sum or total)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:39
S63	201807	"705".clas. or "707".clas. or "709".clas. or "711".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54
S64	23	priorit\$4 adj4 weigh\$3 with list and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54
S65	2072	weigh\$3 with (list or collection or \$3set) near4 (extensible or adaptable or extend\$4 or flexible or adjustable or changable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/12/13 15:59
S66	1388	weigh\$3 same ((list or collection or set) with (extensible or extend\$4)) same (sum or total)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54
S67		priorit\$4 with weigh\$3 same list adj4 (extensible or adaptable or extend\$4 or flexible or adjustable or changable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54
S68	36	priorit\$4 near4 weigh\$3 with list and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54

S69	28	priorit\$4 near2 weigh\$3 with list and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54
S70	429762	"700".clas. or "701".clas. or "703".clas. or "705".clas. or "706".clas. or "707". clas. or "708".clas. or "709".clas. or "711".clas. or "714".clas. or "715".clas. or "717".clas. or "718".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54
S71		priorit\$4 adj4 weigh\$3 with list	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54
S72	230	priorit\$4 with weigh\$3 with list	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54
S73	86	S72 and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54
S74		((list or collection or \$3set) with (extensible or extend\$4)) same priority near4 (sum or total)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54
S75	201807	"705".clas. or "707".clas. or "709".clas. or "711".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54

					,	
S76		weigh\$3 with (list or collection or set) near4 (extensible or extend\$4) and S75	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54
S77	. 12	priorit\$4 with weigh\$3 same (list or collection or \$3set) near4 (extensible or adaptable or extend\$4 or flexible or adjustable or changable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54
S78	25	weigh\$3 same ((list or collection or set) with (extensible or extend\$4)) same (sum or total) and \$70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54
S79	9	(US-20030130887-\$ or US-20020032638-\$ or US-20020087987-\$ or US-20020138399-\$ or US-20020152463-\$ or US-20020087979-\$ or US-20020092031-\$ or US-20040068339-\$ or US-20020100046-\$).did.	US-PGPUB; USPAT	OR	ON	2007/12/13 15:54
S80	3	(US-7039176-\$ or US-6321207-\$ or US-6850891-\$).did.	US-PGPUB; USPAT	OR	ON	2007/12/13 15:54
S81	851	weigh\$3 with (list or collection or set) near4 (extensible or extend\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54
S82	0	((list or collection or set) with (extensible or extend\$4)) same priority near2 (sum or total) and S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54

•						
S83	154	weigh\$3 with (list or collection or set) near (extensible or extend\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54
S84	49	weigh\$3 with (list or collection or set) near4 (extensible or extend\$4) same (sum or total)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54
S85	151	weight\$2 with (list or collection or set) near (extensible or extend\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54
S86	1	((list or collection or set) with (extensible or extend\$4)) same priority near2 (sum or total)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54
S87	9	priorit\$4 near2 weigh\$3 near4 list and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54
S88	20	weigh\$3 with ((list or collection or set) near4 (extensible or extend\$4)) with (sum or total)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54
S89	2	priorit\$4 with weigh\$3 same list near4 (extensible or adaptable or extend\$4 or flexible or adjustable or changable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54

S90	22	weigh\$3 with (list or collection or \$3set) near4 (extensible or adaptable or extend\$4 or flexible or adjustable or changable) near4 (plurality or multiple)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54
S91	20	weigh\$3 with (list or collection or set) near4 (extensible or extend\$4) with (sum or total)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR °	ON	2007/12/13 15:54
S92	2	"20040267762".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 15:54
S93	40	weigh\$3 near4 user adj (selected or set or setting) and ("707".clas. or "705".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 16:00
S94	6	weigh\$3 near4 user adj (selected or set or setting) and (707/3.ccls. 707/6. ccls. 705/37.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 16:02
S95		weigh\$3 with user adj (selected or set or setting) and (707/3.ccls. 707/6.ccls. 705/37.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 16:02
S96	40	weigh\$3 with user adj (selected or set or setting) and (707/3.ccls. 707/6.ccls. 705/37.ccls.) not S94	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 16:02

S97		weigh\$3 with user adj (selected or set or setting) with (list or collection) and (707/3.ccls. 707/6.ccls. 705/37.ccls.) not S94	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 16:03
S98	. 13	weigh\$3 with user adj (selected or set or setting) with (list or collection or set) and (707/3.ccls. 707/6.ccls. 705/37.ccls.) not S94	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/13 16:03



News Maps Images Video Advanced Scholar Search Search Scholar Preferences Scholar Help

Search only in Engineering, Computer Science, and Mathematics.

C Search in all subject areas.

Scholar All articles - Recent articles Results 1 - 10 of about 66,600 for weighted user selected list OR collection. (0.2)

All Results

U Shardanand

P Maes

S Robertson

E Voorhees

M Pazzani

Social information filtering: algorithms for automating "word of mouth" - all 25 versions >>

U Shardanand, P Maes - Proceedings of the SIGCHI conference on Human factors in ..., 1995 - portal.acm.org

... much the user may like an album/artist that has not yet been rated by computing

a weighted average of ... The list of artists sent to a user is selected in two ...

Cited by 1324 - Related Articles - Web Search

Learning and Revising User Profiles: The Identification of Interesting Web Sites - all 14 versions »

M Pazzani, D Billsus - Machine Learning, 1997 - Springer

... but differ according to how the weight of each ... algorithm with initial knowledge about

a user's interests. First, not all the words selected by expected ...

Cited by 510 - Related Articles - Web Search

... ranking of search results employing user and group profiles derived from document collection ... - all 3 versions »

B Chidlovskii, NS Glance, A Grasso - US Patent 6,327,590, 2001 - Google Patents

... Any document reviewed or submitted by the user changes her/his ... weights are extracted from the document, k top-weighted terms are then selected such that a ...

Cited by 27 - Related Articles - Web Search

Method and apparatus for searching a database of records - all 4 versions »

MF Krellenstein - US Patent 5,924,090, 1999 - Google Patents

... to the candidate categories 20 having the highest weight (step 42) and ... When a particular search result category is selected 25 by the user, the display ...

Cited by 98 - Related Articles - Web Search

[PS] Learning information retrieval agents: Experiments with automated web browsing - all 3 versions »

M Balabanovic, Y Shoham - On-line Working Notes of the AAAI Spring Symposium Series on ..., 1995 - isi.edu ... Currently we include only the 10 highest- weighted words in ... Note that this is not

tuned to a particular user. The random pages are selected from a static list ...

Cited by 205 - Related Articles - View as HTML - Web Search

ProFusion*: Intelligent Fusion from Multiple, Distributed Search Engines - all 11 versions »

S Gauch, G Wang, M Gomez - Journal of Universal Computer Science, 1996 - jucs.org

... Normally, during merging, the relevance weight for a given ... by topic, making it desirable to select the best ... presenting only new or updated URLs to the user. ...

Cited by 120 - Related Articles - Web Search

Learning collection fusion strategies

EM Voorhees, NK Gupta, B Johnson-Laird - Proceedings of the 18th annual international ACM SIGIR ..., 1995 portal.acm.org

... with creating different formulations of a user's query ... quency times inverse document frequency weighted query ... 50 queries that were randomly selected from the ...

Cited by 130 - Related Articles - Web Search

Okapi at TREC-4 - all 13 versions »

SE Robertson, S Walker, MM Beaulieu, N Square, ECV ... - Text Retrieval Conference, 4th, 1998 - books.google.com

... an ad- jacency search and a lower-weight same-sentence ... vance feedback; • the display of user selected relevant items ... round a more extensive list of extracted ...

Cited by 732 - Related Articles - Web Search - Library Search

A unified framework for semantics and feature based relevance feedback in image retrieval systems - all 11 versions »

Y Lu, C Hu, X Zhu, HJ Zhang, Q Yang - Proceedings of the eighth ACM international conference on ..., 2000 - portal acm.org

... a previously determined threshold rare **selected** and added into ... category with an initial **weight** of 1.0 ... However, through **user** queries and feedbacks, semantically ...

Cited by 140 - Related Articles - Web Search

[PDF] Interactive assessment of user preference models: The automated travel assistant - all 4

G Linden, S Hanks, N Lesh - Proceedings of the Sixth International Conference on **User** ..., 1997 - cs.pitt.edu ... The agent presents a short, carefully **selected list** of candidate ... s preference over candidate tuples as a **weighted** sum of ... The **user** model consists of a set of ... Cited by 139 - Related Articles - View as HTML - Web Search

Gooooooogle >

Result Page: 1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u> <u>Nex</u>

weighted user selected list OR colle Search

Google Home - About Google - About Google Scholar

©2007 Google